

# Expandable container house


FOB QINGDAO		HS:9406900090	
<b>20FT Quote</b>			
No	1 house + 1 bathroom + 1 cabinet counter	10500\$/set	In the case of two sets, one 40HQ container can be used for transportation, which can also save half of the freight
	1 house + 1 bathroom + 1 cabinet counter+2 rooms	20500\$/set	Does not include sloped roofs and balconies
<b>Materials for Packing Container House</b>			
Size	Expand size: L5900mm/11850mm* W6350mm* H2550mm      Folding size: L5900mm/11850mm*W2250mm *H2550mm		
No	Specification	Note	
1	Keel steel purli(column)	Galvanized steel square tube 160mm* 160mm +150*150*4mm	
2	Wall	50mm EPS sandwich panel0.4mm+50mm+0.4mm 16Kg/m <sup>3</sup>	
3	Beam(Length*width)	3mm thickness galvanized steel frame	
4	Bottom cross beam	40mm* 80mm* 2mm +80mm*80mm*2.0mm square Tube	
5	Top cross beam	50* 50* 2.5mm square tube	
6	Corner Fitting	240mm+150mm size	
7	Il type slot	50* 50mm*1.5mm galvanized steel+Aluminum spray white	
<b>Floor And Ceiling</b>			
8	Steel ceiling	0.4mm thickness steel ceiling	
9	Floor	Moistureproof and mothproof high strength silicon calcium plate 18mm	
10	PVC floor	2mm PVC floor	
<b>Windows and Doors</b>			
11	Upvc sliding window	W950H1000 Thermal Break Aluminum Alloy 5+9Ar+5 Double Glazing Tempered Glass	
12	Bathroom window	Upvc sliding window 50 * 40mm + exhaust fan	
13	Bedroom door	W875*H2000 include ordinary lock	
14	Aluminum alloy double glass sliding door	W1500mm* H2000mm	
<b>Electric System</b>			
15	Lighting	LED Round Ceiling Light 24w	
16	Switch and sockets	Applicable to local national standard sockets, such as: American Standard	
17	Circuit breakers and distribution boxes	36A earth leakage protector + 16A circuit breaker 2 groups + 16A circuit breaker 1 group standby; PVC control box	
18	Wires	Main line 6 <sup>2</sup> + socket line 4 <sup>2</sup> + lighting 1.5 <sup>2</sup> sheathed line	
19	Electric installation	1 exhaust fan + 5 recessed ceiling lights+External European standard adapter	
<b>Inlet and drainage system</b>			
20	Water inlet pipe	25PPR inlet pipe + insulation protection + stop valve	
21	Drain pipe	40-80PVC drainage pipe	
<b>Kitchen bathroom</b>			

22	Cupboard	5 doors, plywood cabinet + stainless steel sink + stainless steel hot and cold water valve + sewer fittings	
23	Toilet bathroom	Tempered glass apartment shower room + vanity mirror + ceramic toilet + stainless steel floor drain	
24	Accessories	Stainless steel toilet paper wall hanging box + stainless steel towel rack	
<b>Installation accessories</b>			
25	Sealing strip	EPDM seal + 995 structural adhesive + metal rain shield	
26	Fastener	High-strength flat-head drill tail wire + fastening bolt	

### Physical picture display

1. Any item not stated in the BOQ is not included .All the pictures for reference only.

2. We will send the video of the installation after the shipment.



Housing frame



5mm Silicon rock fire prevention and insulation



200\*80\*15mm Hoisting board



European standard fast plug



2mm Folding structure design




SIZE: 6000\*3000\*2600mm(After folding 400mm)  
5800\*2500\*2450mm(After folding 400mm)



Open window for hollow tempered glass aluminum alloy



36 heavy-duty galvanized sheets



18mm cement silicon calcium plate



Full closed waterproof glue injection



Interior space of folding house





5896mm\*4500mm\*3000mm





