





High power speaker

4G SIM+WiFi +RJ45

infrared lamp— HD binocular lens-White light monitor head —

SD/SIM Card cover-

Wall mounting support double antenna

Dual Lens

Reset key
LAN interface
Power interface



Solar Power System Specs	
Solar Panel Power	30W/5V/6A
Inbuilt Batteries	45000mAh
Size	350*600mm
Battery Type	32700 Lithium Iron Phosphate
Output Voltage	12V
Max Output Current	3A
Input Voltage	5V
Max Input Current	20A

Solar Light Specs	
Light Power	100W
Solar Panel Power	12W/6V/2A
Inbuilt Batteries	15000mAh
Size	460*200*52mm






















监控专用-大阳赋例电系统

2.电热电解状态相识 ■ 蓝光: 50-1000 电量 美灯: 15-50% 电量 ■ 红灯: (125 电量 3、电源接口指示:

SE-SUBSTITUTE (SESSE)

CCTV Specialized
Solar Power Supply System

1. Charging state indictor
Pia, install it face to the strong sunshine direction

1. Charging state indictor

1. Charging state indictor

1. Charging state state of the strong sunshine direction

1. Charging states state of the strong sunshine direction

1. Charging power state indictor

1. Charging power state indictor

1. Charging state indictor

太阳能监控路灯一体机 YN33D-12V-30W45AH