

EVERYTHING under with the sun of the sun of

Trading Internationally since 1980


Prefabricated Construction




Innovative integrated prefabricated construction

Single peak Hotel Tent







Product parameters

总尺寸	室内尺寸	总面积	室内面积
overall size	indoor	total area	indoor area
7.4*8.5m	5.3*6.1m	62.9m²	24.4 m²

Main frame 主框架:	Galvanized pipe/black pipe 镀锌管/黑管
Connector 连接器:	Steel structure connection plate 钢结构连接盘
Frame color 框架颜色:	Silver/Black 银色/黑色
Top cover 顶盖:	1100g PVDF building membrane material 1100gPVDF建筑膜标
Inner cover 内盖:	850gPVC
Waterproof index 防水指数:	100%
Wind load 风力荷载:	Ground mounted with resistance level 11 地面安装可抗11级
Adaptive temperature 适应温度:	-30℃-70℃

Product parameters


flame retardant 阻燃 waterproof 防水 fungi-proofing 防菌 wind resistant 抗风

UV resistance 抗紫外线 mould proof 防霉

Twin Peaks Hotel Tent







Product parameters

总尺寸	室内尺寸	总面积	室内面积
overall size	indoor	total area	indoorarea
9.4*13.36m	5.6*10.1m	125.58m	43.1m²

Mainframe 主框架:	Galvanized pipe/black pipe	镀锌省/黑管
Connector 连接器:	Steel structure connection plate	钢结构连接盘
Frame color 框架颜色:	Silver/Black	银色/黑色
Top cover 顶盖:	1100g PVDF building membrane material	1100gPVDF建筑膜材
Inner cover 内盖:		850gPVC
Waterproof index 防水指数:		100%
Wind load 风力荷载:	Ground mounted with resistance level 11	地面安装可抗11级
Adaptive temperature 适应温度:		30°C 70°C

Product parameters

flame retardant 阻燃 waterproof 防水 fungi proofing 防菌 wind resistant 抗风

UV resistance 抗紫外线 mould proof 防霉

Wild Luxury Hotel Tent







Product parameters

总尺寸	室内尺寸	总面积	室内面积
overall size	indoor	total area	indoorarea
6.02x10.2m	5.4x10m	55.2㎡	52.4 nč

Main frame 主框架	Galvanized pipe/black pipe	镀锌管/黑管
Connector 连接器:	Steel structure connection plate	钢结构连接盘
Frame color 框架颜色:	Silver/Black	银色/黑色
Top cover 顶盖:	1100g PVOF building membrane material	1100gPVDF建筑膜材
Inner cover 内盖:		850gPVC
Waterproof index 防水指数:		100%
Wind load 风力荷载:	Ground mounted with resistance level 11	地面安装可抗11级
Adaptive temperature 适应温度:		30°C 70°C

Product parameters

flame retardant 阻燃 waterproof 版水 fungi proofing 防菌 wind resistant 抗风

UV resistance 抗紫外线 mould proof 防霉

Nordic geometry



Application scenarios





Product parameters

主体尺寸: 9.7m*4.03m	Dimension: 9.7m*4.03m
室内面积: 48.5mf	Indoor area : 48.5m ⁴
户型:一室一厅一卫	House type: One bedroom, one living room and one bath
结构材料: 钢铝结构	Structural materials: Aluminum、Steel structure
外壳材料: 铝单板、镀锌花纹钢板	Shell material: Aluminum veneer, galvanized pattern steel plate
幂墙及门: 断桥铝中空玻璃幂墙	Curtain wall and door: Broken bridge aluminum hollow glassdoors and Windows



Nordic geometry

北欧几何



Interior Sample To Show

室内样板展示






Product parameters

产品参数

室內裝修方案: 室內隔墙;地板铺裝;墙面、吊顶裝修; 卫生间裝修;水电安裝;習能化家居系统	Interior Decoration Scheme: Interior partition wall; Floor paving; Wall, ceiling decoration; Toiletdecoration; Water and electricity installation; Smart Home System
地板材料:实木 ^一 层复合板	Floor material: solid wood three layer composite board
墙面材料:防水隔音竹木纤维板	Wall material: waterproof and sound insulation bamboo woodfiberboard
卫生间顶底面材料:亚克力和ABS复合板	Bathroom top and bottom surface material: acrylic and ABS com-posite board



Teahouse

茶室



Application scenarios

应用场景






Product parameters

产品参数

主体尺寸:(1F)3.7m*5.5m;(2F)7m*7m	Dimension:(1F)3.7m*5.5m;(2F)7m*7m
室内面积:69.5m*	Indoor area:69.5m ⁴
户型:一室两厅一卫	House type: One bedroom, two living room and one bath
结构材料:钢铝结构	Structural materials: Aluminum 、Steel structure
外壳材料:木纹铝单板	Shell material: Wood grain a luminum veneer
幂墙及门:斯桥铝中空玻璃幂墙	Curtain wall and door: Broken bridge aluminum hollow glassdoors and Window.



Teahouse



室内样板展示






Product parameters

产品参数

室內裝修方案: 室内隔墙;地板铺裝;墙面、吊顶裝修; 卫生间装修;水电安装;智能化家居系统	Interior Decoration Scheme: Interior partition wall; Floor paving; Wall, ceiling decoration; Toiletdecoration; Water and electricity installation; Smart Home System
地板材料:复合板	Floor material: solid wood
墙面材料:防水隔音竹木纤维板	Wall material: waterproof and sound insulation bamboo woodfiberboard
卫生间顶底面材料:亚克力和ABS复合板	Bathroomtop and bottom surface material: acrylic and ABS com-posite board



方舱



Application scenarios

应用场景






Product parameters

产品参数

主体尺寸:8.37m*3.315m	Dimension:8.37m*3.315m
室内面积:23.6㎡	Indoorarea:23.6m²
主体高度/室内净高度:2.97m/2.59m	Main height/Indoor clear height
结构材料:铝方通	Structural materials: Aluminum rectangular tube
外壳材料:铝单板、镀锌花纹钢板	Shell material: Aluminum veneer, galvanized pattern steel plate
幕墙及门:断桥铝中空玻璃幕墙	Curtain wall and door: Broken bridge aluminum hollow glassdoors and Windows



方舱



Application scenarios

应用场景






Product parameters

产品参数

主体尺寸:8.37m*3.315m	Dimension:8.37m*3.315m
室内面积:23.6㎡	Indoorarea:23.6m²
主体高度/室内净高度:2.97m/2.59m	Main height/Indoor clear height
结构材料:铝方通	Structural materials: Aluminum rectangular tube
外壳材料:铝单板、镀锌花纹钢板	Shell material: Aluminum veneer, galvanized pattern steel plate
幂墙及门: 断桥铝中空玻璃幂墙	Curtain wall and door: Broken bridge aluminum hollow glassdoors and Windows



方舱



Interior Sample To Show

室内样板展示





Product parameters

产品参数

室内装修方案: 室内隔墙;地板铺装;墙面、吊顶装修; 卫生间装修;水电安装;智能化家居系统	Interior Decoration Scheme: Interior partition wall; Floor paving; Wall, ceiling decoration; Toiletdecoration; Water and electricity installation;Smart HomeSystem
地板材料:实木三层复合板	Floor material: solid wood three layer composite board
墙面材料:防水隔音竹木纤维板	Wall material: waterproof and sound insulation bamboo woodfiberboard
卫生间顶底面材料:亚克力和ABS复合板	Bathroom top and bottom surface material: acrylic and ABS com-posite board



方舱



Application scenarios

应用场景





Product parameters

产品参数

定制尺寸	Customized size
主体高度/室内净高度:2.4m/2.2m	Main height/Indoor clear height:2.4m/2.2m
结构材料:铝方通	Structural materials: Aluminum rectangular tube
外壳材料:铝单板、镀锌花纹钢板	Shell material: Aluminum veneer, galvanized pattern steel plate
幕墙及门:断桥铝中空玻璃幕墙	Curtain wall and door: Broken bridge aluminum hollow glassdoors and Windows




cabin 方舱



Interior Sample To Show

室内样板展示





Product parameters

产品参数

室内装修方案: 室内隔墙地板铺装;墙面、吊顶装修; 卫生间装修;水电安装;智能化家居系统	Interior Decoration Scheme: Interior partition wall; Floor paving; Wall, ceiling decoration; Toiletdecoration; Water and electricity installation;Smart HomeSystem
地板材料:实木 ^一 层复合板	Floor material: solid wood three layer composite board
墙面材料:防水隔音竹木纤维板	Wall material: waterproof and sound insulation bamboo woodfiberboard
产品尺寸:11.6*2.15*H2.4m*3	Product size: 11.6*2.15*H2.4m*3




方舱



Interior Sample To Show

室内样板展示





Product parameters

产品参数

室内装修方案: 室内隔墙,地板铺装,墙面、吊顶装修, 卫生间装修,水电安装,智能化家居系统	Interior Decoration Scheme: Interior partition wall; Floor paving; Wall, ceiling decoration; Toiletdecoration; Water and electricity installation; Smart Home System
地板材料:实木二层复合板	Floor material: solid wood three layer composite board
墙面材料:防水隔音竹木纤维板	Wall material: waterproof and sound insulation bamboo woodfiberboard
产品尺寸: 5.8*2.15*H2.4m	Product size: 5.8*2.15*H2.4m



方舱



Interior Sample To Show

室内样板展示





Product parameters

产品参数

室内裝修方案: 室内隔墙;地板铺裝;墙面、吊顶裝修; 卫生间裝修;水电安裝,智能化家居系统	Interior Decoration Scheme: Interior partition wall; Floor paving; Wall, ceiling decoration; Toiletdecoration; Water and electricity installation;Smart HomeSystem
地板材料:实木 ^一 层复合板	Floor material: solid wood three layer composite board
墙面材料:防水隔音竹木纤维板	Wall material: waterproof and sound insulation bamboo woodfiberboard
产品尺寸: 11.6*2.15*H2.4m	Product size: 11.6*2.15*H2.4m



方舱



Interior Sample To Show

室内样板展示





Product parameters

产品参数

室內裝修方案: 室內隔墙地板铺裝,墙面、吊顶裝修; 卫生间裝修;水电安裝,習能化家居系统	Interior Decoration Scheme: Interior partition wall; Floor paving; Wall, ceiling decoration; Toiletdecoration; Water and electricity installation;Smart HomeSystem
地板材料:实木 ^一 层复合板	Floor material: solid wood three layer composite board
墙面材料:防水隔音竹木纤维板	Wall material: waterproof and sound insulation bamboo woodfiberboard
产品尺寸。11.6*2.15*H2.4m	Product size: 11.6*2.15*H2.4m



方舱



Interior Sample To Show

室内样板展示





Product parameters

产品参数

室內裝修方案: 室內隔墙;地板铺裝;墙面、吊顶裝修; 卫生间裝修;水电安裝,智能化家居系统	Interior Decoration Scheme: Interior partition wall; Floor paving; Wall, ceiling decoration; Toiletdecoration; Water and electricity installation; Smart HomeSystem
地板材料:实木 ^一 层复合板	Floor material: solid wood three layer composite board
墙面材料:防水隔盲竹木纤维板	Wall material: waterproof and sound insulation bamboo woodfiberboard
产品尺寸: 11.6*3.5*H3.3m	Product size: 11.6*3.5*H3.3m




Birdcage (double layered)

玲珑(双层)



Application scenarios


应用场景



Product parameters

产品参数

主体尺寸:7.9m*8m*9.1m	Dimension:7.9m*8m*9.1m
室内面积:61㎡	Indoorarea:61m³
户型:一室一厅一卫	House type: One bedroom, one living room and one bath
结构材料:钢铝结构	Structural materials: Aluminum、Steel structure
外壳材料:铝管	Shell material: Aluminum tube
幂墙及门:断桥铝中空玻璃幂墙	Curtain wall and door: Broken bridge aluminum hollow glassdoors and Windows



Birdcage (double layered)

玲珑(双层)



Application scenarios

应用场景






Product parameters

产品参数

结构材料:镀锌方管	Structural material: galvanized square tube
外壳材料:木纹铝圆管、玻璃幂墙	Shell material: wood grain aluminum tube, glass curtain wall
屋顶材料:仿真茅草瓦、镀锌板	Roof material: imitation thatched tile, galvanized sheet



Birdcage (single layer)

玲珑(单层)



Application scenarios

应用场景





Product parameters

产品参数

室内裝修方案: 室内隔墙,地板铺裝,墙面、吊顶裝修; 卫生间装修,水电安裝,智能化家居系统	Interior Decoration Scheme: Interior partition wall; Floor paving; Wall, ceiling decoration; Toiletdecoration; Water and electricity installation; Smart Home System
地板材料:实木二层复合板	Floor material: solid wood three layer composite board
墙面材料:防水隔音竹木纤维板	Wall material: waterproof and sound insulation bamboo woodfiberboard
卫生间顶底面材料:亚克力和ABS复合板	Bathroom top and bottom surface material: acrylic and ABS com-posite board



Parent Child Triangle House

亲子三角屋



Application scenarios

应用场景






Product parameters

产品参数

室内面积:76.5㎡	Indoor area: 76.5m²
户型:两室一厅一卫	House type: One bedroom, one living room and one bath
结构材料:钢铝结构	Structural materials: Aluminum、Steel structure
外壳材料:铝单板、镀锌花纹钢板	Shell material: Aluminum veneer, galvanized pattern steel plate
幕墙及门:断桥铝中空玻璃幕墙	Curtain wall and door: Broken bridge aluminum hollow glassdoors and Windows



Parent Child Triangle House

亲子三角屋



Interior Sample To Show

室内样板展示





Product parameters

产品参数

室内装修方案: 室内隔墙;地板铺装;墙面、吊顶装修; 卫生间装修;水电安装;智能化家居系统	Interior Decoration Scheme: Interior partition wall; Floor paving; Wall, ceiling decoration; Toiletdecoration; Water and electricity installation; Smart Home System
地板材料:实木一层复合板	Floor material: solid wood three layer composite board
墙面材料:防水隔音竹木纤维板	Wall material: waterproof and sound insulation bamboo woodfiberboard
卫生间顶底面材料:亚克力和ABS复合板	Bathroom top and bottom surface material: acrylic and ABS com-posite board



Sydney House

悉尼屋



Application scenarios

应用场景






Product parameters

产品参数

主体尺寸:3.28m*7.0m	Dimension:3.28m*7.0m
室内面积:23㎡	Indoorarea:23m²
户型: 一室一卫	House type: One bedroom and one bath
结构材料调铝结构	Structural materials: Aluminum、Steel structure
外壳材料:木纹铝扣板	Shell material: Wood grain aluminum gusset plate
幂墙及门:斯桥铝中空玻璃幂墙	Curtain wall and door: Broken bridge aluminum hollow glassdoors and Window



Sydney House

悉尼屋



Interior Sample To Show

室内样板展示





Product parameters

产品参数

室內裝修方案: 室內隔墙,地板铺裝,墙面、吊顶裝修; 卫生间裝修,水电安裝,智能化家居系统	Interior Decoration Scheme: Interior partition wall; Floor paving; Wall, ceiling decoration; Toiletdecoration; Water and electricity installation; Smart Home System
地板材料:实木二层复合板	Floor material: solid wood three layer composite board
墙面材料:防水隔音竹木纤维板	Wall material: waterproof and sound insulation bamboo woodfiberboard
卫生间顶底面材料:亚克力和ABS复合板	Bathroom top and bottom surface material: acrylic and ABS com-posite board



Boathouse

船屋



Sample display

样板展示



Product parameters

产品参数

室內裝修方案: 室內隔墙,地板铺裝,墙面、吊顶裝修; 卫生间裝修,水电安裝,智能化家居系统	Interior Decoration Scheme: Interior partition wall; Floor paving; Wall, ceiling decoration; Toiletdecoration; Water and electricity installation;Smart HomeSystem
地板材料:实木 ^一 层复合板	Floor material: solid wood three layer composite board
墙面材料:防水隔音竹木纤维板	Wall material: waterproof and sound insulation bamboo woodfiberboard
产品尺寸: 9.6*4.2*H3.3m	Product size: 9.6*4.2*H3.3m



Shell 贝克



Interior Sample To Show

室内样板展示





Product parameters

产品参数

帐篷尺寸:7.5x7.5m(大小可定制)	Tent size: 7.5x7.5m (size can be customized)
室内面积: 44m³	Indoor area: 44 square meters
框架材质:80*60mm烤漆镀锌钢管	Frame material: 80 * 60mm painted galvanized steel pipe
顶账材质:1100g/mPVDF张拉膜	Topaccount material: 1100g/mPVDF tensile film
使用寿命:20年以上	Service life: over 20 years
阻燃:B1级 抗风等级:10级	Flame retardant: B1 level wind resistance level: 10 level



Snail dwelling

蜗居



Interior Sample To Show

室内样板展示





Product parameters

产品参数

帐篷尺寸:8x9m/6x7m(大小可定制)	Tent size: 8x9m/6x7m (size can be customized)
内衬材质:400g高弹内衬	Inner lining material: 400g high elastic lining
框架材质:烤漆镀锌钢管	Frame material: painted galvanized steel pipe
顶账材质:1100g/mPVDF张拉膜	Top account material: 1100g/mPVDF tensile film
使用寿命:20年以上	Service life: over 20 years
阻燃:B1级 抗风等级:10级	Flame retardant: B1 level wind resistance level: 10 level





When the tent collides with a wooden house, it is undoubtedly an ultimate and unique design. At night, people converse with the starry sky and blend in with nature. Returning to nature, indulging in mountains and rivers, abandoning worries and fatigue, people obtain a spiritual rest to comprehend life in a peaceful and natural place.

当帐篷撞上木屋,无疑是一种极致,独一无二的设计;夜晚,与星空对话,与自然共融。让人获得返璞自然、纵情山水、烦恼与疲劳皆抛,静谧自然处领悟人生的心灵休憩。

型목	整体尺寸(m)	室内尺寸(m)	整体面积(㎡)	室内面积(㎡)
model	Overall size	Indoorsize	Overallarea	Indoor area
木星Jupiter	5x9	4.7x6	45	28.2



	天幕:防水,陷燃,防紧外线850gPVC
	肉帐:半津布帆布
d.	结构:合成的像木
	颜色:白色
	抗风等级:9~10%

Sky curtain: Waterproof,	flame relardant, UV resistant 850g PVC
hner tent: Oxford doth/	(anvas
Structure: Synthetic anti	corrosion wood
Color: white	
Wind resistance level: 9	10

Interior Plan of Jupiter Tent 木屋帐篷 室内平面図



JupiterTent Dimensional Drawing 木屋樹區 유寸図





When the tent collides with a wooden house, it is undoubtedly an ultimate and unique design. At night, people converse with the starry sky and blend in with nature. Returning to nature, indulging in mountains and rivers, abandoning worries and fatigue, people obtain a spiritual rest to comprehend life in a peaceful and natural place.

当帐篷撞上木屋,无疑是一种极致,独一无二的上下双层设计,好似增加了一个小阁楼;夜晚,与星空对话,与自然共融。让人获得返璞自然、纵情山水、烦恼与疲劳皆抛,静谧自然处领悟人生的心灵休憩。


型목 model	整体尺寸(m) Overall size	室内尺寸(m) Indoorsize	整体面积(㎡) Overallarea	室内面积(㎡) Indoorarea
复式一楼Duplex first floor	5x9	4.7x6	45	28.2
复式工模Duplex second floor		4.7x6	_	28.2



天幕的水,但燃,防紫外线850gPVC
肉帐 :半潭布帆布
结构:合成的海木
颜色:白色
抗风等%:9~10%

Sky curtain: Waterproof, flame retardant, U V resistant 850g PVC
Inner tent: Oxford cloth/canvas
Structure: Synthetic anti-corrosion wood
Color: white
Windresistance level: 9-10

Interior Plan of Jupiter Double Tent 木屋复式帐篷室内平面图



Dimension diagram of Jupiter duplex tent 木星复式修道尺寸图





The family design of two bedrooms, one living room, one kitchen, and one bathroom adds color to the campsite. The modern interior construction is suitable for facilities such as bathrooms and bedding, allowing you to enjoy the convenience and comfort of a star rated hotel even in the vast and boundless nature.

两室一厅一厨一卫的家庭设计,为营地增添色彩,现代化的内设构建,适配浴卫室、卧具等设施。使您在宽阔无际的大自然也能享受到星级宾馆的方便与舒适。

型목	整体尺寸(m)	室内尺寸(m)	整体面积(㎡)	室内面积(㎡)
model	Overall size	Indoor size	Overallarea	Indoorarea
T型木屋 T shaped wooden house	5x9+4.1x3.05	4.8x8.5+4.1x3.05	57.5	40.8



天幕: 高强度防水肥燃张拉膜
内能。适气防水肥燃帆布
结构合成的腐木
颜色/军绿色/蒸麦色
抗风等级:8~10%


Sky curtain: high strength waterproof and flame retardant tensile film	
Inner tent: breathable, waterproof, flame retardant canvas	
Structure: Synthetic anti-corrosion wood	
Color: Army Green/Oat	
Windresistance level: 8 10	
	•

Interior Plan of Mu Yu Tent 木语帐道 室内平面図



Dimension diagram of wooden language tent 本语修道 尺寸图





Due to its unique wooden structure, it cleverly blends together in the mountains, forests, or grasslands, perfectly combining classical decorative styles with modern technological products. Simple yet not simple, they blend together to form the most classic interior art.

因独特的木质结构,在山林亦或者草原都巧妙地融合在一起,古典装饰风格与现代科技产品完美结合,简约而不简单,它们交错融合,构成了最经典的室内艺术


필 목 model	整体尺寸(m) Overall size	室内尺寸(m) Indoorsize	整体面积(π) Overallarea	室内面积(㎡) Indoor area
M -5	5X9X3.8	4.7x6.25x3.4	45	29.4
M-4	4X6X3.42	3.7x4.2x3.1	24	15.5



天幕:防水、隐燃,防紧外线850gPVC
内帐加密防水阻燃牛津布
结构:合成防腐木
超色/草绿色/深卡其
抗风等级:8~9%

Sky curtain: Waterproof, flame retardant, UV resistant 850g PVC	
Inner tent: Encrypted waterproof and flame in etandant Oxford cloth	
Structure: Synthetic anti-corrosion wood	
Color: Military Green/Dark Khaki	
Windresistancelevel: 8 9	

M 5 Tent Interior Plan M 5帐道 室内平面图



M 5Tent Dimensional Drawing M 5帐道尺寸图





The combination of stairs and terraces creates a double layered design, resembling a small attic appearing in nature. In the exquisite courtyard, enjoying the starry sky at night, in the double layered attic like a home, people immerse themselves in the tranquility of nature, and all troubles from the city disappear into the forest breeze.

楼梯、露台相结合的上下双层设计,好似一个小阁楼出现在大自然中;精致的小院夜晚静赏星空,家一般的双层阁楼,融入大自然的静谧之中,所有来自城市的烦恼皆消敢于林风之中。


型목 model	整体尺寸(m) Overallsize	室内尺寸(m) Indoor size	整体面积(n²) Overallarea	室内面积(ni) Indoor area
复式一楼		3.8x5.1x2.3		19.4
复式二楼	4X5X3.6	3.5x4.7x3.3	20	16.5



天幕:防水,阻燃。防紫外线850gPVC
内帐:加密防水阻燃牛津布
结构:合成防腐木
颜色/军绿色/深卡其
抗风等级:7~学览

Sky curtain: Waterproof, flame retardant, UV resistant 850g PVC	
Inner tent: Encrypted waterproof and flame retardant/Oxford cloth	
Structure: Synthetic anti-corrosion wood	
Color: Military Green/Dark Khaki	
Windresistance level: 7 9	

Interior Plan of M (Duplex Tent) 复式帐篷室内平面图



duplex tent's ize diagram 复式帐道尺寸图





When the tent collides with a wooden house, it is undoubtedly an ultimate and unique design. At night, people converse with the starry sky and blend in with nature. Returning to nature, indulging in mountains and rivers, abandoning worries and fatigue, people obtain a spiritual rest to comprehend life in a peaceful and natural place.

当帐篷撞上木屋,无疑是一种极致,独一无二的设计;夜晚,与星空对话,与自然共融。让人获得返璞自然、纵情山水、烦恼与疲劳皆抛,静谧自然处领悟人生的心灵休憩。

型목 model	展开尺寸(m) Unfolded size	收起尺寸(m) Folding size	展开面积(㎡) Developedarea	收起面积(m) Collapse area
印第安M-10 (10m)	12.5×12.5×7.48	10x10x7.48	122.7	78.5
印第安M-10 (8m)	10x10x6.1	8.8×6.1	78.5	50.2
印第安M-10 (三联)	10+12.5+10	8+10+8	280	179



結构:核化木
颜色:燕麦色
抗风等级:8~9级


	Ceiling: Waterproof, flameretardant, UV resistant 850g PVC	
T	Structure: carbonized wood	
	Color: Oat	
	Windresistance level: 8 9	

M-10 (10m) Ten1 Interior Plan M-10 (10m)帐置室内平面图



M 10 (10m) Tent Size Orawing M 10(10m) 帐篷尺寸图





The comfortable and natural space design, combined with top-notch canopy and fabric, is the best leisure place for gatherings and dates. Tents will leave unforgettable memories for you.

舒适自然为一体的空间设计,顶级天幕和面料搭配,聚餐和约会的最佳休闲场所,给您留下难以忘怀的回忆。


型목	整体尺寸(m)	室内尺寸(m)	整体面积(m)	室内面积(元)
model	Overall size	Indoor size	Overallarea	Indoor area
/JIA	4x5x3.5	3.68x3.86x3.2	20	14.2



天幕筋水,隐燃,防紫外线850gPVC
内帐加密防水闸燃牛津布
结钓合成防腐木
颜色 白色
抗风等级:8~90

Sky curtain: Waterproof, flame retandant, UV resistant 850g PVC
Internal tent: encrypted waterproof and flame ir etardant Oxford dioth
Structure: Synthetic anti-corrosion wood
Color: white
Windresistance level: 8 9

Interior Plan of Small A Tent 小A修建室内平面图



Small AT ent Dimensional Drawing 小A修道尺寸图





We simulate the natural form of plants in nature, bending steel pipes into a certain arc to build a relatively stable shape, gorgeous and natural, allowing you to integrate into nature.

模拟自然中植物的自然形态,将钢管弯曲成一定弧度搭建成一个较为稳定的图形,华丽而自然,让您融入到大自然里。

필 목 model	整体尺寸(m) Overall size	室内尺寸(m) Indoorsize	整体面积(㎡) Overallarea	室内面积(㎡) Indoor area
Ų5	5x7x4.1	4.5x4.5x3.8	35	20.3
U5L	5x9x4.1	4.5x6x3.8	45	27



天幕:防水、隐燃、防紧外线850gPVC
内帐加密防水闸燃牛津布
结构领锌铜管
颜色:白色
抗风等级:9~10级

	Ceiling: Waterproof, flameretardant, UV resistant 850g PVC
	Internal tent: encrypted waterproof and flame relardant Oxford cloth
	Structure: galvanized steel pipe
	Color: white
_	Wind resistance level: 9 10

USLATent Interior Plan USLA帐篷 室向平面图



USLTent Dimensional Drawing USL帐道尺寸図





We simulate the shape of a sailboat, bending steel pipes into smooth curves, gorgeous and natural, blending marine products with grasslands, allowing you to experience a unique camping atmosphere.

模拟帆船的形态,将钢管弯曲成平滑的弧度,华丽而自然,来自海洋产物与草原的融合,感受一种别致的露营氛围。


型목	整体尺寸(m)	室内尺寸(m)	整体面积(元)	室内面积(㎡)
model	Overall size	Indoor size	Overallarea	Indoor area
U4min灌厅帐	5x4x3.94	4x3.5x3.54	20	14



天幕·俯水、隐燃、防紧外线650gPVC
内帐油窑防水船燃牛津布
结构(解释例管
颜色:白色
抗风等级:7~9%

Ceiling: Waterproof,	flame retardant, UV resistant 850g PVC
Internal tent: encryp	ted waterproof and flame in etair dant Oxford cloth
Structure: galvanize	dsteel pipe
Color: white	
Windresis tance leve	g:7 9

LAmini Restaurant Tent Interior Plan U4mini紹介修道 室内平面図



U4mini Restaurant Tent Size Drawing U4mini紹介帐道 尺寸図





Designers extensively use transparent walls to create a sense of integration with nature, which is comfortable and comfortable. The significance of traveling is sometimes not as significant only rely on expressing my love for mountains and rivers, but also on enjoying life.

设计师大量使用了透明的墙面,营造出一种与自然融为一体的感觉,惬意自在,旅行的意义有时并不只在于寄情山水,还在于享受生活。

型목	整体尺寸(m)	室内尺寸(m)	整体面积(㎡)	室内面积(㎡)
model	Overall size	Indoorsize	Overallarea	Indoorarea
W5	4.6x11.1x3.5	4.1x5.6x3.3	51	23



	2
内能通气防水阻燃牛津布	
结构很锌铜管	
颜色:白色	
抗风等级: 8~10%	

Ceiling: Waterp	roof,flameretardanf, UV resistanf 850g PVC
Innertent: breat	ihable, waterproof, flame refardantOxford cloth
Structure: galva	mized steet pipe
Color: white	
Wind resistance	elevel: 8 10

W5Tent Interior Plan W5帐篷 室内平面图



W5Ten1 Dimensional Drawing W5帐道只寸図






The space of two rooms and one living room, with a heart shape, embodies the concept of "home", which is the original design intention of this series; 'Home' is a destination, it is the anchoring of the heartThe harbor can give anyone a warm feeling. Boting Luxury Tent is committed to making every tent feel friendly and comfortable And casual.


两室一厅的空间,心形状,诠释一种"家"的理念是此系列的设计初衷;"家"是一种归宿,是心停泊的港湾,它可以给任何一个人温暖的感觉。博庭豪华帐篷致力于让每一顶帐篷使人感到亲切、舒适和随意。

型号	整体尺寸(m)	室内尺寸(m)	整体面积(m')	室内面积(m)
model	Overall size	Indoorsize	Overallarea	Indoorarea
丘比特	7.8x7.8x3.5	4x4.2x3.2	60.8	19.4



天幕:栃水,伯燃,防釜外线850gPVC
内帐加密防水陷燃牛津布
结构:複雜例管
颜色粉紅色卡其色
抗风等级:8~10级

CupidTent Interior Plan 反比特帐道 室内平面图



CupidTent Dimensional Drawing 反比特帐道尺寸图







The designer perfectly drew inspiration from the image of shells, making the tent reflect the vitality and posture of living organisms. Adding a hint of ocean atmosphere to the green forest makes the tent even more unique.


设计师完美借鉴了贝壳的形象,使帐篷体现出生物的活力姿态,在绿色森林中点缀一丝海洋的气息,更显得别具一格。

필 목	整体尺寸(m)	室内尺寸(m)	整体面积(㎡)	室内面积(㎡)
model	Overall size	Indoorsize	Overall area	Indoor area
毛毛虫	9.65x6.1x4	8.6x6x3.3	46.2	40.5




天幕·防水,隐燃,防紧外线,高强度110gPVDF建筑膜材	Ceiling:Waterproof, flame retardant, UV resistant, High strength 110g PVDF building membrane material
向针材原:400g高弹内针	Innerlining material: 400g high elastic lining
结构破碎铜管	Structure:galvanized steel pipe
颜色:白色	Color: white
抗风等级:8~9%	Wind resistance level:8 9

CaterpillarTentInterior Plan 毛毛虫帐篷室内平面团



CaterpillarTent Dimensional Drawing 毛毛虫帐篷尺寸图





The unique appearance of the irregular structure makes the campsite more eye-catching. The large indoor space, coupled with glass doors and windows, can be used for various purposes such as leisure and entertainment, reception, etc.

独特的异形结构外观,营地使用更加亮眼,超大帐内空间加上玻璃门窗,可做休闲娱乐,接待等各种用处。


型목	整体尺寸(m)	室内尺寸(m)	整体面积(㎡)	室内面积(㎡)
model	Overall size	Indoorsize	Overallarea	Indoor area
天穹	7.3x7.3x5.6	6.4x6.2x5.6	40.6	26.4



天幕·防水,隐燃,防紧外线850gPVC
结构《保锌铜管》
颜色:白色
抗风等级:7~经验

Ceiling: Waterproof, flame retardant, UV resistant 850g PVC	T
Structure: galvanized steel pipe	Ī
Color: white	Ī
Wind resistance level: 7-8	

Interior Plan of Sky Tent 天穹帐篷 室内平面图



Dimensional Drawing of Sky Tent 天穹帐道尺寸图





The CABANA-Nomad tents has been continuously upgraded with its luxurious and natural, humanized and comfortable facilities and space design.


华丽与自然,人性化与舒适性的设施和空间设计,不断的升级成就出的CABANA-游牧帐篷。

필목 model	整体尺寸(m) Overall size	室内尺寸(m) Indoorsize	整体面积(㎡) Overallarea	室内面积(㎡) Indoorarea
游牧帐蓬	5x7x3.6	4.5x4.3x3.1	35	19.4
游牧帐篷	5x9x3.6	4.5x6x3.1	45	27



天幕·防水、阻燃、防翼外线850gPVC
内能加密防水阻燃牛津布
结构:很锌铜管
磁色:白色
抗风等级:6~9级

NomaditentsTent Interior Plan 游牧帐篷帐篷 室内平面图



Nomaditents Tent Dimensional Drawing 游牧帐篷帐篷 尺寸図







Gorgeous and natural, humanized and comfortable facilities and space design, constantly upgraded to create CABANA-Nomad tents.

华丽与自然,人性化与舒适性的设施和空间设计,不断的升级成就出的CABANA-游牧帐篷。

型목 model	整体尺寸(m) Overall size	室内尺寸(m) Indoor size	整体面积(元) Overall area	室内面积(㎡) Indoor area
游牧帐篷	5x7x3.6	4.5x4.3x3.1	35	19.4
游牧帐篷	5x9x3.6	4.5x6x3.1	45	27



天幕:防水、隐燃、防紧外线850gPVC
内帐:加密防水阻燃牛津布
结构的保持问管
颜色:白色
抗风等级:7~8级

<	Gelling: Waterproof, flame retardant, UV resistant 850g PVC
İ	nternal tent: encrypted waterproof and flame retardant Oxford doll
5	Structure: galvanized steel pipe
<	Color: white
١	Windresistance level: 7 8

Nomaditents Tent Interior Plan 游牧帐篷 室内平面图



Nomad tentsTent Dimensional Drawing 游牧帐道 尺寸图





Multi functional restaurant design, multi-purpose hall, tent supermarket, tent bar, conference hall, etc. Large space is its advantage, allowing you to enjoy high-quality wines Equal treatment for stores.

多功能餐厅设计,多种用途的厅堂,帐蓬超市,帐篷酒吧,会议厅等。大空间是它的优势,可享受精品酒店同等待遇。


型号 model	整体尺寸(m) Overall size	室内尺寸(m) Indoorsize	整体面积(㎡) Overall area	室内面积(㎡) Indoorarea
游牧帐篷吧台	5x12x4	4.6x11.5x3.5	60	52.9
游牧帐篷吧台L	6x18x4.37	5.6x17.5x3.8	108	98



天幕:防水,阻燃 ,防紫外线850gPVC
内帐:加密防水阻燃牛津布
结构:镀锌钢管
颜色:白色
抗风等级:8-10级

	Ceiling: Waterproof, flame retardant, UV resistant 850g PVC
_	Internal tent: encrypted waterproof and flame-retardant Oxford cloth
	Structure: galvanized steel pipe
	Color: white
	Wind resistance level: 8-10

Nomaditents Bar Counter Linterior Plan 游牧帐篷吧台L 室内平面图



Nomaditents Bar Counter L Dimensional Drawing 游牧帐道吧台L尺寸图





Multifunctional restaurant design, multi-purpose hall, tent supermarket, tent bar, conference hall, etc. Large space is its advantage, allowing you to enjoy high-quality products Equal treatment for hotels.

多功能餐厅设计,多种用途的厅堂,帐篷超市、帐篷酒吧,会议厅等。大空间是它的优势,可享受精品酒店同等待遇。


Đ믁	整体尺寸(m)	室内尺寸(m)	整体面积(元)	室内面积(元)
model	Overall size	Indoor size	Overallarea	Indoorarea
T型吧台	6x12+5x5x4.2	5.7x11.7+5x4.7x3.8	97	90.2



	天幕:防水,陷燃,防蟹外线850gPVC
	内帐加密防水陷燃牛灌布
	结构:彼锌铜管
	颜色:白色
	抗风等級:8-10級
_	

Ce	illing: Waterproof, flame retardant, UV resistant 850g PVC
ini	emal tent: encrypted waterproof and flame-retardant Oxford cloth
Sir	ructure: galvanized steel pipe
Co	lor: white
wi	ndresistance level: 8-10

Interior Plan of T-shaped Bar Counter T型吧台室内平面图



Dimensional drawing of T-shaped bar counter T型吧台 尺寸图





People stay away from the city and express their love for the scenery. The tent has a unique and stable steel structure, a simple and atmospheric appearance, and a warm and unique interior, providing you with a camping experience like home.

远离城市,寄情山水,独特稳定的钢结构,简约大气的外观,温暖别致的内饰,给您如家的露营体验。


필목	整体尺寸(m)	室内尺寸(m)	整体面积(㎡)	室内面积(㎡)
model	Overall size	Indoor size	Overall area	Indoor area
三角屋	4x6x3.8	3.5x3.7x3.5	24	13



天幕:防水,隐燃,防紧外线850gPVC
内帐加密防水阻燃牛津布
结构设计的管
颜色:白色
抗风等级:5~10级
抗风等级:8~10级

Ceiling: Waterproof,flame retardant, UV resistant 850g PVC
Internal tent: encrypted waterproof and flame retardant Oxford cloth
Structure: galvanized sted pipe
Color: white
Windresistancelevel: 8 10

Triangle House Tent Interior Plan 一角层帐篷 室内平面图



Triangle House Tent Dimensional Drawing 一角层帐篷 尺寸图





People stay away from the city and express their love for the scenery. The tent has a unique and stable steel structure, a simple and atmospheric appearance, and a warm and unique interior, providing you with a camping experience like home.

远离城市,寄情山水,独特稳定的钢结构,简约大气的外观,温暖别致的内饰,给您如家的露营体验。


型号	整体尺寸(m)	室内尺寸(m)	整体面积(m')	室内面积(m²)
model	Overall size	Indoorsize	Overall area	Indoor area
游牧帐篷	4x6x3.2	3.7x4.1x3	24.0	15.2



天幕:防水、阻燃、防紫外线850gPVC
内帐-加密防水阻燃牛津布
结构颁粹物管
颜色:白色
抗风等级:8-10级

Ceiling: Waterproof, flame retardant, UV resistant 850g PVC	
Internal tent: encrypted waterproof and flame-retardant Oxford cloth	
Structure: galvanized steel pipe	
Color: white	
Wind resistance level: 8-10	
	_

Nomad tents Tent Interior Plan 游牧帐篷 室内平面图



NomaditentsTent Dimensional Drawing 游牧帐篷尺寸图





The khaki colored tent is set in the beautiful scenery, while the small space inside the tent is equipped with various styles of bedding and household items. Everything reflects the unique charm of primitive nature. It is committed to allowing tourists to enjoy the services of high—end hotels while getting close to nature.

卡其色的帐篷扎在秀丽的美景中,小小空间帐内却配有各式风格卧具和家居用品。所有的一切都体现出原始自然的独特魅力,致力于让游客在亲近大自然的同时享受高级酒店的服务。


型목	整体尺寸(m)	室内尺寸(m)	整体面积(㎡)	室内面积(㎡)
model	Overall size	Indoor size	Overallarea	Indoorarea
P4	4.5x4x3.3	4.5x3.8x2.8	18	16.4



天幕俯水,隐燃,防紫外线850gPVC
内帐加密防水隐燃牛津布
结构编锌钢管
颜色线卡其色
抗风等级:8~9级


	Ceiling: Waterproof,flame retardant, UV resistant 850g PVC
	Internal tent: encrypted waterproof and flame retardant Oxford dioth
	Structure: galivanized steel pipe
	Color: light khaki
_	Wind resistance level: 8 9
_	

P4Tent Interior Plan P4帐篷 空内平面团



P4Tent Dimensional Drawing P4帐道 尺寸图





The upgraded series of G-100. If you are tired of boutique hotels or can no longer tolerate cheap hotels, you can try the Boting Tent, which advocates returning to nature and advocating simplicity, so that you can enjoy the tranquility of nature under the blue sky.

G-100的升级系列款,如果说你厌倦了精品酒店或者再也忍受不了廉价的旅馆,可以试试以回归自然、崇尚质朴为理念的博庭帐篷,在碧蓝的天空下享受着大自然的宁静。

型号	整体尺寸(m)	室内尺寸(m)	整体面积(m²)	室内面积(㎡)
model	Overall size	Indoorsize	Overall area	Indoor area
P4L	4x7.5x3.6	3.8x4.3x3	30	16.4



天幕:防水,阻燃,防紫外线850gPVC
内帐加密防水阻燃牛津布
结构:镀锌钢管
颜色:拨卡其色
抗风等级:8-9级


Ceiling: Waterproof, flame retardant, UV resistant 850g PVC	
Internal tent: encrypted waterproof and flame-retardant Oxford cloth	
Structure: galvanized steel pipe	
Color: light khaki	
Wind resistance level: 9-10	
	_

P4LTent Interior Plan P4L帐道 室内平面图



P4LTent Dimensional Drawing P4L帐道尺寸图





Using a small space to interpret comfortable luxury camping, it can be decorated with various types of themed tents, such as Egypt, Paris, and other decorative styles, all comparable to general boutique hotels, giving people a very comfortable sense of space.

用小空间诠释舒适豪华露营,内部可以布置成各种类型的主题帐篷,例如埃及、巴黎以及其他装饰风格都可媲美一般精品酒店,给人一种十分舒适的空间感。


型목	整体尺寸(m)	室内尺寸(m)	整体面积(m)	室内面积(m)
model	Overall size	Indoorsize	Overallarea	Indoorarea
游牧帐篷	4x6.25x3.15	3.7x3.7x2.7	25	13.7



The second of the second of the
内能:加密:防水阻燃牛津布
结构、镀锌钢管
颜色:白色
抗风等级:7~8级

Celling: Waterproof,flame retardant, UV resistant 850g PVC	
Internal tent: encrypted waterproof and flame i retardant Oxford dioth	
Structure: gal vanized steel pipe	
Color:white	
Windresistancelevel: 7-8	

Nomad tents Tent Interior Plan 游牧帐道 室向平面图



Nomad tentsTent (Dimensional Orawing 添物帐道尺寸图





As the most popular catering and conference tent product among customers, it showcases the most luxurious products with the smallest space, striving to bring people the ultimate outdoor experience.

作为丰名最受客户青睐的餐饮会议帐篷产品,用最小的空间彰显最豪华的产品,力求带给人们最极致的野外体验。


필목	整体尺寸(m)	室内尺寸(m)	整体面积(㎡)	室内面积(㎡)
model	Overall size	Indoorsize	Overallarea	Indoor area
Q3	3x3x3	2.7x2.7x2.8	9	7.3



天幕俯水,隐燃,防紧外线850gPVC
内帐如密防水肥燃牛津布
结构编锌铜管
耐色:白色
抗风等级:8~%%

Ceiling	: Waterproof, flame retardant, UV resistant 850g PVC
Interne	al tent: encrypted waterproof and flame retardant Oxford cloth
Structi	re:galvanized steel pipe
Colors	white
Windr	esistance level: 8 9

Q3Tent Interior Plan Q3帐篷 室内平面图



Q3TentDimensional Drawing Q3修道尺寸图





Inspired by the emotions for life, it feels like being in a forest. The perfect combination of fabric and board gives you a primitive life experience.

灵感源于对生活的感情仿佛置身于森林之中,面布与板材的完美结合,给你原始的生活体验。


型목	整体尺寸(m)	室内尺寸(m)	整体面积(㎡)	室内面积(㎡)	
model	Overall size	Indoor size	Overall area	Indoor area	
Q4	3x4.5x3	2.7x2.7x2.8	13.5	7.3	



天幕:防水、隐燃、防紫外线850gPVC
肉帐加密防水螅燃牛海布
结构很锌铜管
颜色:白色
抗风等统治~关股

Sky curtain:Waterproof, flameretardant, UV resistant 850g PVC
Internal tent: encrypted waterproof and flame retardant Oxford cloth
Structure: galvanized steel pipe
Color: white
Windresistance Level: 8 9

Q4Tent Interior Plan Q4帐篷 室内平面图



Q4Tent Dimensional Drawing Q4帐篷 尺寸図





Preserving the original camping flavor, the inner tent can be paired with Mongolian yurts for easy disassembly and assembly. The canopy is like a roof, adding a unique feeling. Paired with a minimalist style home, it creates a comfortable outdoor living environment.

保留了原始的露营风味,内帐可搭配蒙古包,拆装简便,天幕好似屋顶,增添了一份别样的感觉,配以简约的风格家居,营造出安逸舒适的户外居住环境。




整体尺寸(m): 5x7x3/180kg 帐身材质: 防水,阻燃,防紫外线850gPVC 结构: 镀锌钢管 颜色: 白色 Overall size

Account body material: Waterproof, flame retardant, UV resistant 850g PVC

structure: Galvanized steel pipe

colour: White

Indoor floor plan 室内平面图




Q4Ten Dimensional Drawing Q4帐篷 尺寸图





Camping, give yourself a free and wonderful time!

露营,给自己一段自由自在的美好时光!






S-34/S-45(天幕) The Canopy Of The Heavens



六边形天幕 Hexagonal canopy










蝶形天幕







八边形天幕




异六边形天幕 Hexagonal Sky Curtain



唸比天幕 HU00by Sky Curtain






Fabric: Oxford Size: 5.55x3.36x2.5(m)

Color: white/black/brown

布料:牛津布 尺寸:5.55*3.36*2.5(m) Supportrod: galvanized steet pipe 支撑升编控调管 颜色:白色层色棕色



Support rod: gal vanized steel pipe 支撑杆線锌钢管

颜色: 白色/黑色


庇护帐天幕 Shelter tent canopy



单星天幕 Single Star Sky Curtain

Color:white/black





Size: 10x8.8x4 (m) Supportrod: galvanized steel pipe 支撑杆:设锌铜管 Color: White/Black 颜色:白色/黑色

Fabric: Oxford 尺寸:10*8.8*4(m) Color:white/light khaki

布料:牛津布 Size: 20x8.6x4.3 (m) 尺寸:20*8.6*4.3(m) Support rod: galvanized steel pipe 支撑杆:很锌铜管 颜色:白色浅末其

效量天幕 Double Star Sky Curtain



万重山天票 Wanchongshan Sky Curtain



Stretch Tents Fabrics

Are manufactured from fabric which is heat bonded with a membrane to retain its memory and be able to return to its former shape



Our tents size varies from 24m²to 168m². Many size, many shapes and many colors can be chosed. Fabric is 410gsm weight, high-end handfeeling, wrinkless. It is Waterproof (water pressure over 10000mm), Anti-Mildew, Anti-UV, High elastic, Long life treatment, Easy to install and easy to store.



High elastic



Base fabric is anti - bacterial and anti - mildew treatment

Double PU coated Long life treatment

Our Client's Real Photos











Poles and Accessories

Pole

Connector

Mushroom Pole Cap for Center Pole

Carabiner



length 80cm & 120cm diameter 40mm thickness 2.5mm



length 30cm diameter 35mm thickness 2.5mm



Rubber , height 6cm diameter 12cm



diameter 8mm

Pole Cap for Side Pole

Eye Nut Screw

Rope

Rope Adjuster



Rubber , height 2cm diameter 4cm



diameter 8mm



thickness 8mm Nylon rope 20m & 5m



diameter 60mm thickness 5mm

Pole Base for Center Pole

Peg-Large & Small



diameter 16cm thickness 4mm



length 60/45cm diameter 2/1.6cm



